

## Technische gegevens


|                    |       |
|--------------------|-------|
| Luchtdebiet [m3/h] | 1943  |
| Druk [Pa]          | 213.5 |
| Druktype           | Psta  |
| Voeding            | all   |
| Dichtheid [kg/m3]  | 1.205 |

## Typeplaatgegevens

|                 |        |
|-----------------|--------|
| Code            | TCV456 |
| Spanning [V]    | 400    |
| Fasen           | 3      |
| Stroom [A]      | 1.27   |
| Polen           | 6      |
| Gewicht [kg]    | 40     |
| Frequentie [Hz] | 50     |
| Toerental [rpm] | 930    |
| Vermogen [kW]   | 0.37   |
| IP              | 55     |
| Isolatieklasse  |        |

## Motorgegevens

|               |      |
|---------------|------|
| IE-klasse     | IE2  |
| Grootte       | 71   |
| Vermogen [kW] | 0.37 |
| Stroom [A]    | 1.27 |
| Spanning [V]  | 400  |
| Cos $\phi$    | 0.67 |
| n (rendement) | 0.61 |








- PE gegoten huis
- PP gegoten waaier
- Roestvrijstalen schroeven

## Certificeringen




## Werkpunt

|                       |       |
|-----------------------|-------|
| Q [m <sup>3</sup> /h] | 1943  |
| Psta [Pa]             | 213.5 |
| Ptot [Pa]             | 218.0 |
| Pin [W]               | 151.5 |
| nsta                  | 0.761 |
| ntot                  | 0.777 |
| Toerental [rpm]       | 930   |




## Afmetingen



| A   | B   | C   | D   | E   | F  | I   | L   | M   | N   | N° | O   |
|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|----|-----|
| 800 | 730 | 280 | 355 | 700 | 50 | 405 | 450 | 750 | 100 | 8  | 700 |

## Configuraties & CAD

LG 0°



## Accessoires

**Bocht 90°**  
355mm



**Deflectorkap**  
355mm



**Flexibele verbinding**  
355mm



**Geluidsdemper**  
355/500mm



**Zelfsluitende klep**  
355mm



**Handbediende regelklep**  
355mm



**Vaste verloop**  
200/355mm



**Vaste verloop**  
225/355mm



**Vaste verloop**  
250/355mm



**Vaste verloop**  
280/355mm



**Vaste verloop**  
315/355mm



**Vaste verloop**  
355/400mm





## Accessoires

**Vaste verloop**  
355/450mm



**Vaste verloop**  
355/500mm



**Vaste verloop**  
355/600mm



**Vaste verloop**  
355/700mm



**Regenkap**  
355mm



**Uitblaaskap met gaasrooster**  
355mm

