

## Technische gegevens


|                                 |       |
|---------------------------------|-------|
| Luchtdebiet [m <sup>3</sup> /h] | 3393  |
| Druk [Pa]                       | 307.7 |
| Druktype                        | Psta  |
| Voeding                         | all   |
| Dichtheid [kg/m <sup>3</sup> ]  | 1.205 |

## Typeplaatgegevens

|                 |        |
|-----------------|--------|
| Code            | TCV506 |
| Spanning [V]    | 400    |
| Fasen           | 3      |
| Stroom [A]      | 1.65   |
| Polen           | 6      |
| Gewicht [kg]    | 82     |
| Frequentie [Hz] | 50     |
| Toerental [rpm] | 930    |
| Vermogen [kW]   | 0.55   |
| IP              | 55     |
| Isolatieklasse  |        |

## Motorgegevens

|               |      |
|---------------|------|
| IE-klasse     | IE2  |
| Grootte       | 80   |
| Vermogen [kW] | 0.55 |
| Stroom [A]    | 1.65 |
| Spanning [V]  | 400  |
| Cos $\phi$    | 0.72 |
| n (rendement) | 0.67 |








- PP gelast huis
- PP gelast waaier
- Roestvrijstalen schroeven

## Certificeringen





## Werkpunt

|                       |       |
|-----------------------|-------|
| Q [m <sup>3</sup> /h] | 3393  |
| P <sub>sta</sub> [Pa] | 307.7 |
| P <sub>tot</sub> [Pa] | 316.3 |
| P <sub>in</sub> [W]   | 400.7 |
| n <sub>sta</sub>      | 0.724 |
| n <sub>tot</sub>      | 0.745 |
| Toerental [rpm]       | 930   |




## Afmetingen



| A    | B   | C   | D   | E   | F  | I   | L   | M   | N  | N° | O   |
|------|-----|-----|-----|-----|----|-----|-----|-----|----|----|-----|
| 1000 | 900 | 400 | 400 | 700 | 80 | 510 | 550 | 800 | 70 | 10 | 770 |

## Configuraties & CAD

LG 0°



## Accessoires

**Bocht 90°**  
400mm



**Deflectorkap**  
400mm



**Flexibele verbinding**  
400mm



**Geluidsdemper**  
400/600mm



**Zelfsluitende klep**  
400mm



**Handbediende regelklep**  
400mm



**Vaste verloop**  
225/400mm



**Vaste verloop**  
250/400mm



**Vaste verloop**  
280/400mm



**Vaste verloop**  
315/400mm



**Vaste verloop**  
355/400mm



**Vaste verloop**  
400/450mm





## Accessoires

**Vaste verloop**  
400/500mm



**Vaste verloop**  
400/600mm



**Vaste verloop**  
400/700mm



**Regenkap**  
400mm



**Uitblaaskap met gaasrooster**  
400mm

